

alpha
UNIVERSAL
SPECIALISED FASTENING EQUIPMENT



ALPHA UNIVERSAL **PRODUCT** CATALOGUE

OFFICE
ADDRESS

+27 (0)11 452 9131
15 Invubu Road, Sebenza Ext. 6,
Edenvale, Gauteng, South Africa
info@alphauniversal.co.za
orders@alphauniversal.co.za

E-MAIL



Aluminium Rope Rail

Available

26mm and 40mm
1.5m, 2m, 3m and 6m length



Aluminium Tubing

Available

31.76 x 1.62 x 6m
22.20 x 1.22 x 6m
25.40 x 1.22 x 6m
38.10 x 1.62 x 6m



Anchor Pegs

Available

200mm x 5mm
300mm x 5mm
400mm x 5mm
450mm x 8mm



Apex Cups (Plastic & Steel)



Aussie Clamp

Available

Plastic and Steel



Awning Pulley

Available

Single
19mm, 25mm, 32mm and 38mm
Double
19mm, 25mm, 32mm and 38mm



Awning Rope

Available

Polyester Braid: 4mm, 5mm, 6mm, 7mm, 8mm and 10mm
White, Black and solid colours
PPM Braid: 4mm, 5mm, 6mm, 7mm, 8mm and 10mm
White, Black and solid colours



Bakkie Bows (Spring steel)

Available

1280mm,1295mm,1310mm,1320mm,
1330mm,1337mm,1344mm,1345mm,
1350mm,1370mm,1380mm,1395mm

1400mm,1410mm,1425mm,1440mm,
1455mm,1465mm,1470mm,1475mm,
1500mm,1505mm,1515mm,1520mm

1525mm,1530mm,1560mm,1600mm,
1630mm,1650mm,1700mm,1800mm,
1930mm and 2000mm



Basket Braid

Available

2.5mm, 3mm, 3.5mm, 4mm, 5mm, 6mm,
7mm, 8mm, 10mm and 12mm



Binding

Available

10mm, 15mm, 20mm, 25mm, 38mm, 50mm,
60mm, 100mm and 110mm

Sold in 100m rolls

White, Black and solid colours



Bow Clip Adaptor



Bow Clips



Braided Stretchcord

Available

3mm, 4mm, 5mm, 6mm, 7mm, 8mm and
10mm



Cam Buckles

Available

25mm-Light duty
25mm-Medium duty, 35mm and 50mm
25mm-Heavy duty



Carabiner Hooks

Available

40 x 4mm
50 x 5mm
60 x 6mm
70 x 7mm
80 x 8mm
100 x 10mm
140 x 12mm



Cleat Wedge Large

Available

Black/White (plastic)
Cleat tubular jam black (plastic)



Cleats Aluminium

Available

Full and one sided (half cleat)



Coats Polyfil (Dual Duty)

Available

Ticket 20, 25 and 36



Coats Trident



Collapsible Saddle

Available

Stainless steel 25mm (Square)
Stainless steel 25mm (Round)
Stainless steel 50mm (Round)



Contact Adhesive Glue

Available

5L tin



Cord Stopper 1 Hole Ball



Cord Stopper 1 Hole Barrel



Cord Stopper Pig Nose 2 Holes



Curtain / Container Eyelets

Available

Mild steel available in
Silver Colour
Gold Colour
Antique Brass Colour

40mm inside diameter



Dog Trigger Hook (Nickel) D-Shape

Available

19mm and 25mm



D-Rings

Available

19mm Welded nickel
25mm Welded nickel
25mm Welded galvanised
25mm Olive green coating
38mm Welded nickel
38mm Welded galvanised
50mm Welded galvanised
Black plastic: 20mm, 25mm, 38mm and 50mm



Available

DURAK POLY®

Continuous Filament Polyester Thread
Common Uses for DURAK POLY® Sewing Thread

Outdoor goods and textiles, Filtration, Sports goods, Footwear
Leather goods and Mattress industry.

Available in:

DURAK POLY® 3 (CFP 36 / 3ply 250/3) – 2400MT
DURAK POLY® 2 (CFP 50 / 2ply 250/2) – 3650MT

DURAK Duralon®

100% Continuous 6.6 Nylon Filament Thread
Common Uses for DURAK Duralon®

DURAK Duralon® is suitable for a range of application that requires high seam strength and abrasion resistance such as furniture, automotive, bag, suitcase, and shoe industries.

Available in:

DURAK Duralon® 10 (CFN 10 / DURALON) – 3500MT
DURAK Duralon® 20 (CFN 20 / DURALON) – 2500MT
DURAK Duralon® 40 (CFN 40 / DURALON) – 2500MT
DURAK Duralon® 60 (CFN 60 / DURALON) – 3500MT

DURAK Poly Strong® PC (Poly/Cotton) Core Spun Thread

Common Uses for DURAK Poly Strong® PC (Poly Cotton)
Leather furniture, Saddlery, Tents, Clothing and Home textiles.

Available in:

DURAK Poly Strong® PC 36 (POLYSTRONG TKT 36(335/2) PCC)
– 3000MT
DURAK Poly Strong® PC 20 (POLYSTRONG TKT 20(340/3) PCC)
– 2500MT

DURAK Poly Strong® PP (Poly/Poly) Core Spun Thread

Common Uses for DURAK Poly Strong® PP (Poly Poly)
Workwear, Sportswear, Fine fabrics, Intimate garments, Denim jeans
Home textiles.

Available in:

DURAK Poly Strong® PP 80 (POLYSTRONG) 80 (180/2) PPC
– 5000MT
DURAK Poly Strong® PP 120 (POLYSTRONG) 120 (120/2) PPC
– 5000MT
DURAK Poly Strong® PP 180 (POLYSTRONG) 180 (75/2) PPC
– 5000MT

Available

DURAK Polysoft®

Machine Embroidery Thread
100% trilobal filament polyester

Common Uses for DURAK Polysoft®:

Leather, Denim wear, Workwear/Uniforms, Sportswear, Children's wear, Ready to wear clothing, Underwear.

Available in:

DURAK Polysoft® 40 – 1000MT
DURAK Polysoft® 40 – 5000MT

DURAK QTT

Continuous filament Polyester Thread

Common Uses for Durak QTT:

Quilting in the mattress industry, General quilting applications.

Available in:

QTT 60 MATTRESS 155/3 – 16000MT

DURAK Durabond

Continuous Filament Thread
Bonded nylon and bonded polyester thread
Common Uses for DURAK Durabond

Ideal for multi directional sewing applications like safety body harnesses, lifting slings as well as shoes and handbags.

DURAK Durabond Bonded Nylon

Available in:

DURAK Durabond N 20 (CFN 20 / BONDED) – 1250MT
DURAK Durabond N 40 (CFN 40 / BONDED) – 2500MT

DURAK Durabond Bonded Polyester

Available in:

DURAK Durabond P 6 (CFP) - 350MT
DURAK Durabond P 8 (CFP) - 1000MT
DURAK Durabond P 11 (CFP) - 1500MT
DURAK Durabond P 20 (CFP) - 1500MT
DURAK Durabond P 30 (CFP) - 2500MT
DURAK Durabond P 40 (CFP) - 3000MT



Durak

Available

DURAK Durabond Polyester UV treated

Continuous Filament Polyester Thread

Common Uses for DURAK Durabond P UV treated sewing thread is suitable for products that are exposed to UV Sunlight, salty water, and wind.

Available in:

DURAK Durabond P UV 20 (CFP) – 1500MT
DURAK Durabond P UV 20 (CFP) – 3000MT

DURAK Durafix

Continuous Filament Polyester Thread

Common Uses for DURAK Durafix:

Home Textiles, Jeans, Outdoor goods and textiles, Tents, Furniture, Shoes and leather work.

DURAK Durafix

Available in:

DURAK Durafix 8 (CFP 1000/3) – 1000MT
DURAK Durafix 11 (CFP 1000/3) – 1500MT
DURAK Durafix 20 (CFP 20/DURAFIX) – 1500MT
DURAK Durafix 30 (HT CFP/DURAFIX 30) – 5000MT
DURAK Durafix 40 (CFP 40/125/3) – 3000MT
DURAK Durafix 70 (CFP 70/125/3) – 1000MT
DURAK Durafix 100 (CFP 100 85/3) – 7500MT

Available

DURAK Durafix WR/UV

Continuous Filament Polyester Thread Water repellent and UV thread.

Available in:

DURAK Durafix 20 (CFP 20WR/UV) – 1500MT
DURAK Durafix 30 (CFP 30WR/UV) – 2500MT

DURAK Fire Safe

Staple Spun Thread

Available in meta-aramid and para-aramid

Product Advantages:

Excellent resistance to heat, direct flame and electric spark.
Fire Safe will self-extinguish when removed from heat source.

Usage:

Flame retardant protective clothing, Work clothes and uniforms,
Thermal insulation, Industrial protective gloves, Flame retardant
embroidery applications, Safety footwear.

DURAK Fire Safe Meta-Aramid

Available in:

DURAK Fire Safe Meta-Aramid 100% Spun 40 – 3000MT
DURAK Fire Safe Meta-Aramid 100% Spun 70 – 5000MT

DURAK Fire Safe Para-Aramid

Available in:

DURAK Fire Safe Para-Aramid 100% Spun 50 – 2500MT
DURAK Fire Safe Para-Aramid 100% Spun 70 – 3000MT



End Caps Rubber

Available

19mm, 22mm, 25mm, 32mm
and 38mm



Ferrule

Available

5mm, 6mm, 8mm and 10mm



Fish Plates



Flag Toggle



Flat Elastic

Available

6mm woven elastic
7.5mm knitted elastic Black/White
8mm woven elastic Black/White
15mm knitted elastic Black/White
25mm knitted elastic Black/White
25mm non-curl elastic Black/White
38mm knitted elastic
50mm Knitted elastic Black/White
75mm knitted elastic
100mm knitted elastic Black/White
135mm knitted elastic



Flat Hooks

Available

25mm Welded galvanized
25mm Olive green coating
25mm Black coating



Ground Sheet Pegs



Half Tautliner Buckle



Hand Closing Tool

Available

TG 4 & TG 7
Curtain / Container (40mm ID)



Hand Operated Counter Press

Available

Either TG4 or TG7 die set included



Hand Operated reverse action press on wheels

Available

The hand operated reverse action press includes one size die-set that will work on the following; TG 4 Eyelets Self-Piercing with dimension of ID 9mm and TG 7 Eyelets Self-Piercing with dimension of ID 12.5mm.

Extra die-set can be ordered and purchased separately.



Hog Rings Galvanised

Available

Galvanised
Sold per kg




Hollow Punches

Available

9mm (TG4)
13mm (TG7)
40mm (Container)



Honey Comb Material



Hook & Loop

Available

20mm, 25mm, 38mm, 50mm and 100mm
Black, White and solid colours



Horse Blanket Clips

Available

Male and Female



J-Hook

Available

25mm and 50mm



Lacing Hooks

Available

Black and White



Ladder Locks (Black Plastic)

Available

20mm, 25mm and 38mm



Load Webbing

Available

25mm 600kg polyester
25mm 1.2ton polyester
35mm 2.5ton polyester
50mm 2ton White
50mm 2ton Black
50mm 3ton White
50mm 4ton White



Loop Straps



Looped Pocket Webbing

Available

50mm
(100m/roll)
Black, White and Olive Green



Mesh PVC 170gsm

Available

Black, Grey and Howard green



OB Clamp



Open Claw Hook



O-Rings

Available

13mm Olive green coating
13mm, 19mm, 22mm, 25mm, 38mm,
40mm and 50mm welded galvanised



Piping PVC Soft



Pneumatic Press Die Sets

Available

TG 4 & TG 7
Curtain / Container (40mm ID)



Polyester Strapping

Available

16mm 360kg
19mm 850kg, 1 ton
32mm 700kg



Pneumatic Eyelet Closing Press

Available

Pneumatic Eyelet Closing Press uses air pressure to close our TG 4 and TG 7 eyelets rapidly and with ease.

The self - piercing feature of these eyelets allows the material to be cut and the eyelets closed in one action.

The 40mm Curtain/Container eyelets can also be closed using this press. All die sets are interchangeable. The press is supplied with either a TG 4 or TG 7 die set.

Additional die sets can be purchased.



Polyester Thread



Polyprop Webbing

Available

25mm
Black, White and solid colours



Pool Cover Float

Available

Black and Blue




Pool Cover Pulleys (Plastic)



Pool Cover PVC

Available

600g Blue/Black 3m wide



Pool Hooks

Available

Stainless steel (used with Pool Plate)



Pool Hooks - ground

Available

Stainless steel



Pool Net Steel Handle



Pool Plate

Available

Stainless steel round plate
Stainless steel oval plate (2 slots)



PVC Clear

Available

UV inhibitors

200mic, 250mic, 300mic, 400mic, 500mic,
700mic and 800mic



PVC Cord

Available

4mm, 6mm, 7mm, 8mm, 10mm and 12mm



PVC Material

Available

550gsm
1.5m, 2.04m and 3m wide.
Solid colours



Quick Release Buckle

Available

Light Duty 25mm, 38mm and 50mm
Heavy Duty 25mm, 38mm, and 50mm



Ratchet

Available

25mm Light/Heavy duty standard
25mm Light/Heavy duty stainless steel
50mm Long/Short handle standard



Recacril Acrylic

Available

1.2m wide rolls
60m per roll



Reflective Tape with Webbing

Available

25mm and 50mm - Yellow
25mm and 50mm - Orange



Reflective Tape PVC

Available

25mm and 50mm - Yellow
25mm and 50mm - Silver



Retainer Pin

Available

Large, Small and No Base



Right Angled Slides

Available

25mm Olive green coating
25mm Nickel plated



Ripstop and Ripblock

Available

400gsm, 440gsm, 500gsm
1.8 wide rolls



Roller Blind System

Available

Manual, Motorized
Indoor, Outdoor
Plastic chains, stainless steel chains
Chain links and stoppers



Rope Adjusters Plastic

Available

Plastic (7mm)
Aluminum (5mm)



Rope Cutter

Available

Including and excluding heated blades



Saddle Clip

Available

Plastic
Stainless steel round/square



Sewing Machine Oil 1L



Shock cord (Solid Polyurethane)

Available

6mm, 7mm, 8mm and 10mm



S-Hooks

Available

Galvanised
Black plastic cover



Ski Rope

Available

5 -12mm (various colours)



Snap Hooks Nickel/Plastic

Available

25mm, 38mm and 50mm



Steel Bow Tent Frames

Available

2.1m x 2.1m
2.4m x 2.4m
3m x 3m



Steel Slide Buckle

Available

26mm Nickel - curved
26mm Olive green coating
26mm Black passivated
38mm Galvanised - flat
40mm Nickel - curved
50mm Galvanised



Strap Puller (Flat/Round)



Strapping Tensioner



Sunweave

Available

3m wide rolls
30m per roll



Tail for Ratchet + J-hook 50mm



Tailor Chalk

Available

10pc p/box
20pc p/box



Tent / Waist Hooks



Tent/Wall Pegs

Available

200mm x 5mm
250mm x 5mm
300mm x 5mm



TG 4 Eyelets Self-Piercing

Available

ID 9mm OD 20mm
Solid brass
Stainless steel
Brass Black passivated
Brass Nickel plated



TG 7 Eyelets Self-Piercing

Available

ID 12mm OD 26,5mm
Solid brass
Stainless steel
Brass Black passivated
Brass Nickel plated



Three Bar Slides – Metal

Available

25mm Galvanised
25mm Olive green coating
27mm Nickel plated
27mm Black



Tiedown Webbing

Available

50mm x 9m and J Hook



Tonneau Cover

Available

540gsm/570gsm
1.85m wide
30m per roll



Triangle

Available

20mm Black plastic
25mm Welded galvanised
25mm Moulded nickel
25mm Black metal
25mm Olive green coating
38mm Welded galvanised
38mm Moulded nickel
38mm Moulded plastic



Triangle Moulded Nickel

Available

25mm, 38mm



Triglides Black Plastic

Available

20mm, 25mm, 38mm, 50mm
Heavy Duty: 25mm, 38mm and 50mm



Triglides Moulded Nickel

Available

20mm, 25mm, 30mm, 38mm and 50mm



Triglides Movable Nickel

Available

20mm, 25mm, 30mm and 50mm



Turn Button Sets

Available

DOT brand (3 parts to a set)



Turn Button Punch



Upholstery Staples

Available

7012, 7104, 7106, 7110, 8006 and 8010



Weld - on Webbing (Black and White)

Available

47mm Black/White polyester



Wrap Strap

Available

12.5mm and 25mm



YKK Open End Chunky Zips

Available


Type 10
80cm, 100cm, 120cm, 150cm, 180cm,
200cm, 220cm, 250cm, 280cm, 300cm,
350cm, 400cm, 500cm and 600cm
Olive green, Grey, Beige and Black



YKK Zip Chain Chunky

Available

Available in type 5 and 10
Olive green, Grey, Beige, White, Black and
Brown



YKK Zip Chain RCF

Available

Available in type 5 and 10
Olive green, Grey, Beige, White, Black and Brown



YKK Zip Sliders Chunky

Available

Type 5 and 10
Single and Double tab



YKK Zip Sliders RCF

Available

Type 5 and 10
Single and Double tab



Zip Chain - Generic

Available

Type 5 and 10
Olive green, Grey, Beige, White, Black and Brown



Zip Sliders - Generic

Available

Type 5 and 10
Single and Double tab




Zips Open End - Generic

Available

Type 10
80cm, 100cm, 120cm, 150cm, 180cm,
200cm, 220cm, 250cm, 280cm, 300cm,
350cm, 400cm, 500cm, 600cm
Black, Beige, Grey and Olive Green





www.alphauniversal.co.za | +27 11 452 9131 | info@alphauniversal.co.za | orders@alphauniversal.co.za

15 Invubu Road, Sabenza Ext. 6, Edenvale, Gauteng, South Africa